STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	10/54/,998
Source:	IFWP
Date Processed by STIC:	8/3/06
•	

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.4.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (http://www.uspto.gov/ebc/efs/downloads/documents.htm , EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
 U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06



IFWP

RAW SEQUENCE LISTING DATE: 08/03/2006 PATENT APPLICATION: US/10/541,998 TIME: 09:50:26

Input Set : A:\19020.seq.txt

Output Set: N:\CRF4\08032006\J541998.raw

```
3 <110> APPLICANT: Collier, Greg
             Walder, Ken
      5
             Segal, David
             Foletta, Victoria
      8 <120> TITLE OF INVENTION: OBESITY-RELATED GENES
     10 <130> FILE REFERENCE: 19020
                                                       se pr 1-7
     12 <140> CURRENT APPLICATION NUMBER: 10/541,998
     13 <141> CURRENT FILING DATE: 2005-07-13
     15 <160> NUMBER OF SEQ ID NOS: 13
     17 <170> SOFTWARE: PatentIn version 3.1
                                                           Does Not Comply
     19 <210> SEQ ID NO: 1
                                                           Corrected Diskettle Needed
     20 <211> LENGTH: 426
     21 <212> TYPE: DNA
     22 <213> ORGANISM: Psammomys obesus
     24 <220> FEATURE:
     25 <221> NAME/KEY: misc_feature
    26 <222> LOCATION: (336)..((366)) (336)
                                                              FyI: 'n can only represent a
     27 <223 > OTHER INFORMATION: n = any nucleotide (sequence)
     30 <400> SEQUENCE: 1
     31 ggacatettt teageeatga ggagetttet ggaaactegg agttgataca gaaatatagg
                                                                             60
     33 aatataatca cgcaggetee taacetggag aacattgage tgtactggaa cagetacaac
                                                                             120
     35 aaccgccgag acctgaactt cgagcgaggt ggtgagatga ccctcaagtg ccctgtgatg
                                                                            180
     37 ctggtggtag gagaccaagc gcctcatgag gatgccgtgg tggagtgtaa ctcaaaactg
                                                                             240
     39 gaccccacac agacctcgtt cctcaagatg gctgattctg gaggtcagcc acagctgacc
                                                                            300
                                                                            360
W--> 41 cagccaggca agetgactga ggettteaag taettnetge aaggeatggg etacatggee
     43 tectectgea tgactegeet ategaggtet egeaeggeat etttgaceag egeageatee
                                                                             420
                                                                            45 attgat
     48 <210> SEQ ID NO: 2
     49 <211> LENGTH: 451
     50 <212> TYPE: DNA
     51 <213> ORGANISM: Psammomys obesus
     53 <400> SEQUENCE: 2
     54 gctggtaccg gtccggaatt cccgggatat cgtcgaccca cgcgtccggt ggtggagaag
     56 atogotoctg cogtggttca cattgaactg tatogoaaac ttootttotc gaagagggag
     58 gtgccagtgg cgagtgggtc cggatttatc gtgtctgagg atggactgat tgtgaccaat
     60 gctcacgtgg tgaccaacaa aaacagggtc aaggttgagc tgaagaatgg agcaacctat
     62 gaagctaaaa tcaaggatgt ggatgaaaag gcagacatcg cacttatcaa aattgaccac
     64 cagggaaagc tgccagtett getgetggge egeteeteag agettegaee aggagagttt
     66 gtggtegeca teggaagece etttteeett caaaacacag teaccactgg gategteagt
     68 accacccage gaggeggeaa agagetgggg c
     71 <210> SEQ ID NO: 3
     72 <211> LENGTH: 478
     73 <212> TYPE: DNA
                                            (please cleek all sowing n's
```

file://C:\CRF4\Outhold\VsrJ541998.htm

RAW SEQUENCE LISTING DATE: 08/03/2006
PATENT APPLICATION: US/10/541,998 TIME: 09:50:26

Input Set : A:\19020.seq.txt

```
74 <213> ORGANISM: Psammomys obesus
77 <400> SEQUENCE: 3
78 tgacattttc tttccacctc ttatgatagc tgatatatac taaatcttta tacagaaatg
                                                                          60
80 tragtacttg aacaaattca aaacacattg gtttattaac ttttggctca tgcatggttt
                                                                         120
82 attaggttca aattatacct gattcatcta tatttacttt taaaatgtgt ggtttcctca
                                                                         180
84 ttttaaaagt aaaactaaac agtgcttttg gaatttctaa gctactaatt gttgatagat
                                                                         240
86 acageetgtg tetagtaaaa tagttttgtg ggtgtgggtt etatetttee atgaaaaagt
                                                                         300
88 gggaggtgta agttagtttg gttagtgcct aatagttaaa tttatataaa ataagaatga
                                                                         360
90 gcatttggta tctgtatgaa agggccctaa atcaaaatga ttatccataa tcaatcttta
                                                                         420
92 ttcttgtttt ataaaaacca aagggcactc attggttaag tgtgctgaga tagaaaag
                                                                         478
95 <210> SEO ID NO: 4
96 <211> LENGTH: 1884
97 <212> TYPE: DNA
98 <213> ORGANISM: Psammomys obesus
100 <220> FEATURE:
101 <221> NAME/KEY: misc feature
102 <222> LOCATION: (609)..(609)
103 <223> OTHER INFORMATION: n = any nucleotide sequence
106 <220> FEATURE:
107 <221> NAME/KEY: misc feature
108 <222> LOCATION: (611)..(611)
109 <223> OTHER INFORMATION: n = any nucleotide (sequence
113 <220> FEATURE:
114 <221> NAME/KEY: misc feature
115 <222> LOCATION: (1388)..(1388)
116 <223> OTHER INFORMATION: n = any nucleotide sequence
119 <220> FEATURE:
120 <221> NAME/KEY: misc feature
121 <222> LOCATION: (1390)..(1390)
122 <223> OTHER INFORMATION: n = any nucleotide sequence
125 <220> FEATURE:
126 <221> NAME/KEY: misc feature
127 <222> LOCATION: (1413)..(1413)
128 <223> OTHER INFORMATION: n = any nucleotide
131 <220> FEATURE:
132 <221> NAME/KEY: misc feature
133 <222> LOCATION: (1512)..(1512)
134 <223> OTHER INFORMATION: n = any nucleotide (sequence
137 <220> FEATURE:
138 <221> NAME/KEY: misc feature
139 <222> LOCATION: (1568)..(1568)
140 <223> OTHER INFORMATION: n = any nucleotide sequence
143 <400> SEQUENCE: 4
144 cgcagatact gcagagctga cgcattcttt gcctggcatc tcagcttgct aggtgtctca
                                                                           60
146 tettegetet gegetegtgg cetectecaa ggeetecagt eteetttaag aaaacteaag
                                                                          120
148 acctgggaag ctacgatgcg agcttgatgc cgctacccta gcaggctatg gacttcctga
                                                                          180
150 ggqtcctcgg actgttgaca cccattccga tccgcatcct tccaagctga taagcccggg
                                                                          240
152 accetaggge ggggtgeeca gaeteatgtg tgaegeettg eagtgaaace ceatteecag
                                                                          300
154 tgtggttgct tctttgctgg gctttggccc atttgatacc acgaaggatg acgatgctag
                                                                          360
```

RAW SEQUENCE LISTING DATE: 08/03/2006
PATENT APPLICATION: US/10/541,998 TIME: 09:50:26

Input Set : A:\19020.seq.txt

```
156 ttatgcagca gccaacaca ctccccccaa ctctccgctg tcactggtgg gcccactgt
                                                                               420
     158 ccaggaagca ggtgtccgga actgacatct tggagcagag gggccatgag aggtgtgtgt
                                                                               480
     160 atcctgccag aaagcagctg gaccacgacg ctcccaagat gaacccactg tatacagagg
                                                                               540
     162 catcatggga gttgttatgt caggagcatt ctagacccac gtgtacttga gcgtggaaag
                                                                               600
W--> 164 acagaagana ngcgcagaga ctggggcact tgatctgctc accatgatcg cctgcacggg
                                                                               660
     166 teteatecag tteetgeett aggetaeagt ggeggtgtee aegggettge catteaaegt
                                                                               720
     168 geteteagae ecagateggg eteaceaetg aggagaaeet titeaetitig gigggtatge
                                                                               780
     170 agagggaagg gtctcgactc cagagacctg gagtccaaag tttgtttttt tttatttacc
                                                                               840
     172 agtaatttat ttatttttt tattattagt tatgagtcca aagtttaata ccattcaagc
                                                                               900
     174 tactgctgtc tgtctgctta gagccacagc atgcaatgtg gcaccaaggc atccttgtcc
                                                                               960
     176 tcacagtttc acactgtggg aacaggcatc cttgttctta cagattagcg cgagggaaac
                                                                              1020
     178 cagaaatatt aaacacgcag ggttgtctct ccaaagggag aggcacatac cctgttttcc
                                                                              1080
     180 tecegaagge tgggagegga ggtgtttgat ateetggeta eetetgtgea atetgtagge
                                                                              1140
     182 catgtcctta agatgtagct gtcagtcggt agtggagccg gagccgtcag tcagtagatt
                                                                              1200
     184 ggggttgtgg catgcgcctt taactccatt taattccagc actctagtgg tttggtacag
                                                                              1260
     186 cagcagcagc agcggttgca gtggcccggg gaagtcctga agaccagctt tcatcccagc
                                                                              1320
     188 actcaggcag caaaggcggg tggattctct gagttcgagg ccggcctggt ctacagagtg
                                                                              1380
     190 agtccagncn agccagggct acaacagaga aancetetet attgaaaaat aaataaatta
                                                                              1440
     192 taaaaaaaaa aaggtgtcat gtgtcctgtg tactttacaa agaatgttga tgcttaagct
                                                                              1500
     194 tttttgtgca cncaagaaaa ttgtttaact ggtgtcagac tcctgaagtt tgaaccagca
                                                                              1560
     196 cttagccngg cgtggtggcg cacgcctgta atcccagccc tcgggaggca gaggcaggtg
                                                                              1620
     198 gatetetgag ttagaggeca geetggteta cagagtgagt ceaggacage caggattaca
                                                                              1680
     200 cagagaaacc ccgtctcaaa aatgtaaaat aaattaaaat aaagtttgaa ccaacagtgt
                                                                              1740
     202 ttactgagtc gtgttgaaac agattacctt tttgcttctc tttgatcatt attctactgt
                                                                              1800
     204 ggtgtcagca gagacccctc cagcaggtgg ccaacgtgag agtctcaagc ccgagaaggt
                                                                              1860
     206 aagaatttaa aaaaaaaaa aaaa
                                                                              1884
     209 <210> SEQ ID NO: 5
     210 <211> LENGTH: 1358
     211 <212> TYPE: DNA
     212 <213 > ORGANISM: Psammomys obesus
     214 <220> FEATURE:
     215 <221> NAME/KEY: misc feature
     216 <222> LOCATION: (385)..(385)
     217 <223 > OTHER INFORMATION: n = any nucleotide sequence
     220 <220> FEATURE:
     221 <221> NAME/KEY: misc feature
     222 <222> LOCATION: (416)..(416)
     223 <223 > OTHER INFORMATION: n = any nucleotide sequence
     227 <220> FEATURE:
     228 <221> NAME/KEY: misc feature
     229 <222> LOCATION: (430)..(430)
     230 <223> OTHER INFORMATION: n = any nucleotide sequence
     233 <220> FEATURE:
     234 <221> NAME/KEY: misc feature
    235 <222> LOCATION: (507)..(507)
     236 <223> OTHER INFORMATION: n = any nucleotide sequence
    239 <220> FEATURE:
     240 <221> NAME/KEY: misc feature
     241 <222> LOCATION: (754)..(754)
```

RAW SEQUENCE LISTING DATE: 08/03/2006 PATENT APPLICATION: US/10/541,998 TIME: 09:50:26

Input Set : A:\19020.seq.txt

```
242 <223> OTHER INFORMATION: n = any nucleotide sequence
245 <220> FEATURE:
246 <221> NAME/KEY: misc feature
247 <222> LOCATION: (856)..(856)
248 <223> OTHER INFORMATION: n = any nucleotide (sequence
251 <220> FEATURE:
252 <221> NAME/KEY: misc_feature
253 <222> LOCATION: (928)..(928)/
254 <223> OTHER INFORMATION: n'= any nucleotide \sequence
257 <220> FEATURE:
258 <221> NAME/KEY: misc feature
259 <222> LOCATION: (980)..(980)
260 <223> OTHER INFORMATION: n = any nucleotide sequence
264 <220> FEATURE:
265 <221> NAME/KEY: misc_feature
266 <222> LOCATION: (1165)..(1165)
267 <223> OTHER INFORMATION: n = any nucleotidé (sequence
270 <220> FEATURE:
271 <221> NAME/KEY: misc_feature
272 <222> LOCATION: (1200)..(1200)
273 <223> OTHER INFORMATION: n = any nucleotide sequence
276 <220> FEATURE:
277 <221> NAME/KEY: misc_feature
278 <222> LOCATION: (1273)..(1273)
279 <223> OTHER INFORMATION: n = any nucleotide (sequence
282 <220> FEATURE:
283 <221> NAME/KEY: misc feature/
284 <222> LOCATION: (1284)..(1284)
285 <223> OTHER INFORMATION: n = any nucleotide (sequence
288 <220> FEATURE:
289 <221> NAME/KEY: misc_feature
290 <222> LOCATION: (1303)..(1303)
291 <223> OTHER INFORMATION: n = any nucleotide sequence
294 <220> FEATURE:
295 <221> NAME/KEY: misc_feature
296 <222> LOCATION: (1305)..(1305)
297 <223> OTHER INFORMATION: n = any nucleotide (sequence
301 <220> FEATURE:
302 <221> NAME/KEY: misc_feature
303 <222> LOCATION: (1326)..(1326)
304 <223 > OTHER INFORMATION: n = any nucleotide (sequence
307 <220> FEATURE:
308 <221> NAME/KEY: misc feature
309 <222> LOCATION: (1330)..(1330)
310 <223> OTHER INFORMATION: n = any nucleotide\sequence
313 <400> SEQUENCE: 5
314 gttgggaaag aatgaagaaa caacccgatg aatagaaatg aaaagcctaa gccaaatgga
                                                                            60
316 tttctgttga gatgttggat gaaaacaagt atccactgtt taccaacttg acgaaaaatc
                                                                           120
318 tcaactgagg tttggctgtt aaaaaaaaaa attcactgtg gcctctgtgc ttaattgtcg
                                                                           180
```

RAW SEQUENCE LISTINGPATENT APPLICATION: **US/10/541,998**DATE: 08/03/2006

TIME: 09:50:26

Input Set : A:\19020.seq.txt

```
320 taaaccattg tgactgttac tgctcaaagt atcgtactgt tcattagtaa ctacatcaga
                                                                            240
    322 attgcaccgc tgctgttgga aaagccaata aagaaacccc cagactgctg ctcagcaaat
                                                                            300
    324 gttaataaag tgtgcgcacc gtaggcctgt ccacccagtc accaagcagc gtccctttgt
                                                                            360
W--> 326 ctgcgagtgg ctgtgggtgt gattnaccac ctcagaggtg cacagcacct gcttgngccc
                                                                            420
    328 ttaagtgtgn gtcagaagac aagcagcttc tcggtaacca acaacctgct tttcggagct
                                                                            480
    330 caqtqtttaq qctqtttact qaatcanata tqtaactcaq cacacataaq cqaaqaqaqa
                                                                            540
    332 ttttggctgc actggcaaga gtgaaccaaa tttacttcta ttttttaaag gcagatcata
                                                                            600
    660
    336 ttgtttttaa attattacat gtgttctcta tgtctttatc tctggaataa cgatgccatt
                                                                            720
    338 aaccacatgg ccatatgttt tgaaagttgg gtgnaacaga ggaaaagtca tccttcttgg
                                                                            780
    340 ttcttgactc cctttcctca actacatgat aagtctatca ataaagcatt tgacctcagc
                                                                            840
    342 aggggcagaa gcctgnaaag ttagaaaact cattgaccac agtagacaat tgatttctta
                                                                            900
    344 gaaataagaa gtgagaagca gctgctgngc tgagcagggg atgtaaacca agtccagatg
                                                                            960
    346 caccaacgtg aagaggettn tagcaaaaat atgtttgeet eteaceeetg cacatgttet
                                                                           1020
    348 agatgcttaa aaacagccac atggccccgc tgcgaggacc tcgtaatgtt gttgttgttg
                                                                           1080
    350 ttgttgttgt taaaggagtt ctcacaagcg tacaagtgca gcactgaaag tggctgaggc
                                                                           1140
    352 ccacagtect cagcacccaa gtetnttecg cagcacgcca agetggtgtt gtecgggtgn
                                                                           1200
    354 gtatgtctgt gctcagtgcc aagctggtgt ttggtcccgt tgtatattat gtgccccaag
                                                                           1260
    356 tgttttgggg canagetgac ccangetgga cacacttett ttngnetteg agtttactgg
                                                                           1320
    358 ttgatncagn taaaaataaa ttaattaatt aaagactt
                                                                           1358
    361 <210> SEQ ID NO: 6
    362 <211> LENGTH: 390
    363 <212> TYPE: DNA
    364 <213> ORGANISM: Psammomys obesus
    366 <220> FEATURE:
    367 <221> NAME/KEY: misc feature
    368 <222> LOCATION: (3)..(3)
    369 <223> OTHER INFORMATION: n = any nucleotide sequence
    372 <220> FEATURE:
    373 <221> NAME/KEY: misc feature
    374 <222> LOCATION: (9)..(9)
    375 <223> OTHER INFORMATION: n = any nucleotide(sequence
    378 <220> FEATURE:
                                       "c'is at 60 (see P.6)
    379 <221> NAME/KEY: misc_feature /
    380 <222> LOCATION: (60)..(60)
                                    any nucleotide sequence
    381 <223> OTHER INFORMATION: (n =
    384 <220> FEATURE:
    385 <221> NAME/KEY: misc_feature a mat/
    386 <222> LOCATION: (71)..(71)
    387 <223> OTHER INFORMATION: (n) = any nucleotide (sequence
    390 <220> FEATURE:
    393 <223> OTHER INFORMATION: (n) = any nucleotide sequence
    396 <220> FEATURE:
    397 <221> NAME/KEY: misc_feature 398 <222> LOCATION: (113)..(113)
    399 <223> OTHER INFORMATION: (n) = any nucleotide sequence
    402 <220> FEATURE:
```

<220> <221> <222> <223>	misc_feature c is at 388 (388)(388) any nucleotide sequence
<220> <221> <222> <223>	misc_feature (524)(524) n = any nucleotide (sequence) There are only 390 weleotides in this sequence
<220> <221> <222> <223>	misc_feature (527)(527) n = any nucleotide sequence

<400> 6
gtngaagent aggagttega ggatgegeec gatgtegage egetggaace caegettage 60
aatateateg ageagegeag cettaagtgg atettegteg ggggeaaggg tgaegtteggt 120
aagaceacet geagetgeag eetggeggte eagetgteta agggaegtga gagtgtteta 180
ateattteea eagaceeage teacaacate teagatgeat ttgaeceaga gtteteeaag 240
gtgeetacea aggteaaagg etatgaeaae etetttgeta tggagataga eeegageetg 300
ggegtggeag ageteeetga tgaagttett egaggaagae aacatgetga geatggeaa 360
gaagatgatg eaggaggeea tgagegeett
390

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/10/541,998

DATE: 08/03/2006 TIME: 09:50:27

Input Set : A:\19020.seq.txt Output Set: N:\CRF4\08032006\J541998.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; N Pos. 336

Seq#:1; N Pos. 336 Seq#:4; N Pos. 609,611,1388,1390,1413,1512,1568 Seq#:5; N Pos. 385,416,430,507,754,856,928,980,1165,1200,1273,1284,1303 Seq#:5; N Pos. 1305,1326,1330

Seq#:6; N Pos. 3,9 Seq#:7; N Pos. 524,527 Seq#:8; N Pos. 60

Seq#:9; N Pos. 71,91,113,388

VERIFICATION SUMMARY

DATE: 08/03/2006

PATENT APPLICATION: US/10/541,998

TIME: 09:50:27

Input Set : A:\19020.seq.txt

Output Set: N:\CRF4\08032006\J541998.raw

L:41 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:300 L:164 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:600 M:341 Repeated in SeqNo=4 L:326 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:360 M:341 Repeated in SeqNo=5 L:422 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0 L:471 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:480 L:501 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0

L:548 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:60

M:341 Repeated in SeqNo=9